

MELDING VAN GOEDKEURING

Geachte opdrachtgever,

Van het Notified Body (NoBo) waar wij op uw verzoek de aanvraag voor EU typekeuringscertificatie of wijziging van een EU typekeuringscertificatie hebben ingediend, hebben wij melding van goedkeuring ontvangen.

Eerder gaf u Vaassen Textile Consultancy BV (VTC) de opdracht tot het uitvoeren van werkzaamheden ten behoeve van deze EU typekeuringscertificatie of wijziging ervan.

Bijgaand ontvangt u de volgende documenten :

1. EU typekeuringscertificaat / certificaten.
2. Certificaatrapport(en).
3. Markeringen.
4. Gebruikersaanwijzing(en).
5. Materiaallijst.
6. Conformiteitsverklaring(en).
7. Blanco aanvraagformulier en toelichting voor module C2 product controle (alleen voor nieuwe certificaties voor cat. III pbm's en indien van toepassing).

Als dit een hercertificatie of uitbreiding of aanpassing van een bestaande certificatie betreft zorg er dan voor dat de oude documentatie wordt vervangen door bijgaande documentatie!

Aan de goedkeuring door het Notified Body zijn de volgende voorwaarden onlosmakelijk verbonden :

1. Als u dit / deze product (en) uit de EU-markt haalt of als u de rechten aan een derde partij overdraagt moet u dit melden bij het NoBo al dan niet via VTC.
2. In het geval u het product of de producten wilt wijzigen, zoals stijl of ontwerp, maatvoering, toegepaste materialen, gebruikersaanwijzingen, markering etc. en wilt dat de goedkeuring van het NoBo blijft behouden dan dient u voorafgaande aan de wijziging hierover contact op te nemen met het NoBo al dan niet via VTC.
3. In geval van wijzigingen die van invloed kunnen zijn op uw vermogen om te voldoen aan de certificatievereisten (bijv. juridische, commerciële, organisatorische status of eigendom, belangrijke wijzigingen in het kwaliteitssysteem, contactadres, productielocaties, wijziging van het product of de productiemethode), moet u het NoBo hiervan onverwijld op de hoogte brengen al dan niet via VTC.
4. U verstrekt in de officiële taal / talen van de EER-lidstaat van bestemming identieke vertalingen van de gebruiksaanwijzing en aanvullende veiligheids- en technische informatie.
5. Het product / de producten wordt / worden voorzien van bijgaande markering(en). U mag de lay-out ervan wijzigen echter niet de inhoud. Naast deze markering dient u ook de maataanduiding door middel van een maatpictogram aan te brengen.
6. Het originele technische dossier blijft bij het NoBo. Een kopie ervan wordt samen met andere relevante gegevens door ons gearcheveerd en als "vertrouwelijk" behandeld en is altijd beschikbaar voor u ten behoeve van markttoezichtautoriteiten op hun met redenen omkleed verzoek om de conformiteit van de PBM met de Verordening (EU) 2016/425 aan te tonen.
7. U dient een ondergetekende kopie van de conformiteitsverklaring(en) aan ons terug te zenden. Bovendien moet u een kopie van de ondertekende conformiteitsverklaring(en) bij elk product meeleveren of op uw website publiceren en door middel van de gebruikersaanwijzing(en) te informeren waar deze op de website te vinden is.
8. In geval een of meerdere producten onder categorie III van de PBM Verordening (EU) 2016/425 valt / vallen dient u kwaliteitstoezicht te organiseren volgens module C2 of D bij een Notified Body naar keuze. Over de mogelijkheden kunnen wij u nader informeren.

Mocht u naar aanleiding hiervan nog verdere vragen hebben, horen wij graag van u.

Vaassen Textile Consultancy BV

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/24/3898 Issue 1

Product Electrostatic dissipative protective clothing against heat and flame, thermal effects of electric arc, and for use in welding and allied processes, offering limited protection against liquid chemicals

Model Quite Right Overall CARLOS, Quite Right Work Jacket MICHAEL, Quite Right Work Trousers GLENN

Trademark Quite Right®

Certificate Holder / Manufacturer Quite Right BV
Malachiet 540, NL-3316 LD Dordrecht, Netherlands

Products comply with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 13688:2013+A1:2021, EN 1149-5:2018, EN ISO 11612:2015, IEC 61482-2:2018, EN ISO 11611:2015 and EN 13034:2005+A1:2009

Other Information EN ISO 11612: A1 B1 C1 E3 F1
IEC 61482-2: APC 1 (4 kA)
EN ISO 11611: Class 1 A1
EN 13034: Type 6

This certificate shall be used in conjunction with conformity assessment procedure module C2 or D.

Validity This certificate is valid until 2029-07-26.

Date of issue 2024-07-26

SGS Fimko Ltd

Signature



Hanna Koskinen
Team Leader

SGS Fimko Ltd is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information The full details of the assessment are given in Certification report no. 0598/PPE/24/3898/R

Technical Evaluation Report No. 0598/PPE/24/3898/R**1. Certificate holder / Manufacturer**

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Netherlands

2. Description and identification of the product

Model: Quite Right Overall CARLOS, Quite Right Work Jacket MICHAEL,
Quite Right Work Trousers GLENN

Product type: Electrostatic dissipative protective clothing against heat and flame, thermal effects of electric arc, and for use in welding and allied processes, offering limited protection against liquid chemicals

Applied standards and technical specifications:

EN ISO 13688:2013+A1:2021, EN 1149-5:2018, EN ISO 11612:2015, IEC 61482-2:2018,
EN ISO 11611:2015 and EN 13034:2005+A1:2009

Performance levels:

EN ISO 11612: A1 B1 C1 E3 F1
IEC 61482-2: APC 1 (4 kA)
EN ISO 11611: Class 1 A1
EN 13034: Type 6

Description: Garments are made of woven fabric quality CSFR-310, 98% CO, 2% antistatic, 310 g/m² (Xinxiang Xinxing Special Fabric Co. Ltd, China).

Retroreflective material is quality CSR-1303-FR, Silver (Hangzhou Chinastars Reflective Material Co. Ltd., China).

Pictures of the products are on page 2.

3. Applied legislation☒

Regulation (EU) 2016/425 (CE marking)

☐

Regulation (EU) 2016/425 as brought into GB law and amended (UKCA marking)

4. Evaluation

The documentation supplied by the certificate holder / manufacturer or their authorized representative is listed in Appendix 1.

Materials and the products have been tested in accordance with the requirements of the applied standards and technical specifications by accredited testing laboratories.

The products and the technical documentation relating to them comply with the requirements of the applied legislations.

Note: Any modification in design, materials, or in the technical documentation, must be brought to the attention of SGS Fimko.

Pictures of the products

Quite Right Overall CARLOS



Quite Right Work Jacket MICHAEL



Quite Right Work Trousers GLENN



Appendix 1 Technical documentation
Appendix 2 Document history

End of Technical Evaluation Report.

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Notified Body 0598

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

FINAS
Finnish Accreditation Service
S003 (EN ISO/IEC 17065)

Member of the SGS Group (SGS SA)

Technical documentation regarding Technical Evaluation Report No. 0598/PPE/24/3898/R

Model: Quite Right Overall CARLOS, Quite Right Work Jacket MICHAEL,
Quite Right Work Trousers GLENN

Certificate holder / Manufacturer: Quite Right BV, Malachiet 540, 3316 LD Dordrecht, Netherlands

Item of technical documentation	Document identification	Assessment
1. Signed application	2024-06-04	
2. Product drawing, construction, and material list	Products drawings, Annex 3 Material list, Annex 4 Technical specifications, 01.2024	Products are identified and described, materials are specified
3. Compliance with the applied legislation and its applicable essential health and safety requirements	The compliance assessment is based on reports mentioned below items 3.1-3.8	
3.1. SGS Fimko assessment of essential health and safety requirements	2024-07-26	The applied harmonized standards EN ISO 13688:2013+A1:2021, EN 1149-5:2018, and EN 13034:2005+A1:2009, and standards EN ISO 11612:2015, IEC 61482-2:2018 and EN ISO 11611:2015 support the relevant requirements
3.2. Aitex test report	No. 2024CN0254, 2024-05-10 Fabric CSFR-310	Material meets the requirements of EN 1149-5:2018, EN ISO 11612:2015 A1 A2 B1 C1 E3 F1, EN ISO 11611:2015 class 1 A1 A2, and EN 13034:2005+A:2009, levels abrasion 6, tear 1, tensile 5, puncture 2; repellency/penetration H ₂ SO ₄ 3/3, NaOH 3/3 (5 domestic washes at 60°C)
3.3. Vaassen textile consultancy test report	No. 240641/1, 2024-03-05 Overall CARLOS, Werkjas MICHAEL, Werkbroed GLENN	Seams meet the requirements of EN ISO 11612:2015 for limited flame spread A1 and seam strength (double Seam strength meet the requirements of class 4 as defined in EN 13034:2005+A1:2009. Garments meet the requirements of IEC 61482-2:2018 APC 1 (4 kA) and of EN 13034:2005+A1:2009 penetration test type 6 (5 domestic washes at 60°C)
3.4. Aitex test report	No. 2021CN0566, 2021-08-19 CSR-1303-FR	Reflective material meets the requirements of EN ISO 20471:2013+A1:2016 and EN ISO 11612:2015 for heat resistance and limited flame spread A1 (50 domestic washes at 60°C)
3.5. SGS Fimko test record	Assessment of the design, 2024-07-22 (based on sketches and technical specification)	Garments meet the design requirements of EN 1149-5:2018, EN ISO 11612:2015, IE 61482-2:2018, EN ISO 11611:2015 and EN 13034:2005+A1:2009
3.6. Draft information sheet	User instruction Multinorm line, version 01	Document meets the requirements of the applied legislation and standards
3.7. Product markings	Marking, Annex 7	Markings meet the requirements of the applied legislation and standards
3.8. Risk assessment	Risk assessment, Annex 1	Adequate

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Notified Body 0598

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

Member of the SGS Group (SGS SA)

4. Description of the production quality system and related product control and test facilities	Overview of production and production control, Annex 8	Adequate for module B. Agreement with SGS Fimko 0598 on the EU quality assurance system C2
---	--	--

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Notified Body 0598

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

Member of the SGS Group (SGS SA)

Document history of Technical Evaluation Report 0598/PPE/24/3898/R

2024-07-26	Technical Evaluation Report No. 0598/PPE/24/3898/R issued for EU type-examination certificate No. 0598/PPE/24/2615, Issue 1 Prepared by Erja Tammela
------------	---

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Notified Body 0598

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

Member of the SGS Group (SGS SA)

QR MULTINORM COVERALL

C €0598



EN ISO 11611:2015

A1-class 1



EN ISO 11612:2015

A1-B1-C1-E3-F1



EN 1149-5:2018



EN 13034:2005
+A1:2009

Type 6



IEC 61482-2:2018

APC1



98/2% CO/AS

Quite Right BV

Malachiet 540

3316 LD

Dordrecht

Nederland



QR MULTINORM JACKET

C €0598



EN ISO 11611:2015

A1-class 1



EN ISO 11612:2015

A1-B1-C1-E3-F1



EN 1149-5:2018



EN 13034:2005
+A1:2009

Type 6



IEC 61482-2:2018

APC1



98/2% CO/AS

Quite Right BV

Malachiet 540

3316 LD

Dordrecht

Nederland



QR MULTINORM TROUSERS

C €0598



EN ISO 11611:2015

A1-class 1



EN ISO 11612:2015

A1-B1-C1-E3-F1



EN 1149-5:2018



EN 13034:2005
+A1:2009

Type 6



IEC 61482-2:2018

APC1



98/2% CO/AS

Quite Right BV

Malachiet 540

3316 LD

Dordrecht

Nederland



Gebruikersinstructie

Deze gebruikersinstructie heeft betrekking op de volgende producten:

Multinorm overall CARLOS
Multinorm werkjas MICHAEL
Multinorm werkbroek GLENN

Gefeliciteerd met de aanschaf van onze producten.

Onze producten zijn ontwikkeld op basis van de meest recente inzichten en veiligheidsnormen.

Lees de gebruikersinstructie vooraf zorgvuldig door en bewaar deze. Controleer ook via de pictogrammen in de kleding welke bescherming geboden wordt.

Deze kleding is ontwikkeld om tegen uiteenlopende risico's bescherming te bieden. Gebruik deze kleding altijd in overleg met uw veiligheidskundige of leidinggevende.

Toepassingsgebied

Deze kleding biedt bescherming tegen industriële warmterisico's (convectieve warmte en stralingswarmte). Ook wordt bescherming geboden tegen incidenteel en kortstondig contact met kleine vlammen en open vuur.

Verder biedt de kleding bescherming tegen gesmolten ijzer en contacthitte.

De kleding biedt, mits gedragen in combinatie met passende hand- en gelaatsbescherming ook bescherming tegen de thermische effecten van een vlamboog (vergelijkbaar met een vlamboog van 4 kA, gedurende 500 ms en op een afstand van 30 cm).

De kleding kan gebruikt worden bij het uitvoeren van las- en aanverwante werkzaamheden.

Deze antistatische kleding is bedoeld gedragen te worden in de ATEX zones 1, 2, 20, 21 en 22 waarbij de minimum ontstekingsenergie niet lager is dan 0,016 mJ. Raadpleeg voor verder uitleg EN 60079-10-1, EN 60079-10-2 en CEN/TR 16832.

Door toepassing van een speciale fluorcarbon finish op de buitenstof biedt de kleding bescherming tegen spatten van een aantal veel voorkomende, waterige chemicaliën.

Specificaties

De kleding valt in categorie III en voldoet aan PBM Verordening (EU) 2016/425 en de geldende normen EN ISO 13688:2013+A1:2021 (Algemene vereisten), EN ISO 11611:2015, EN ISO 11612:2015, EN 1149-5:2018, EN 13034:2005+A1:2009 en IEC 61482-2:2018 volgens onderstaande specificaties.

De conformiteitsverklaring kunnen worden geraadpleegd op www.quiteright.nl

Omschrijving	Norm	Classificatie	Prestatieniveaus van de kleding
Antistatisch 	EN 1149-5:2018	N.v.t.	Conform. Weefsel beproefd volgens EN 1149-3:2004 of EN 1149-1.

Industriële warmte 	EN ISO 11612:2015	A= vlamverspreiding (1= oppervlaktebevlammings, 2=randbevlammings) B= convectieve warmte (niveau 1 t/m 3) C= stralingswarmte (niveau 1 t/m 4) D= gesmolten aluminium (niveau 1 t/m 3) E= gesmolten ijzer (niveau 1 t/m 3) F= contactwarmte (niveau 1 t/m 3) Indien niet van toepassing dan wordt de code weggelaten of 0.	Alle artikelen : A1-B1-C1-E3-F1
Laskleding 	EN ISO 11611:2015	Klasse 1 of klasse 2 A= vlamverspreiding (1= oppervlaktebevlammings, 2=randbevlammings) Een hogere klasse biedt meer bescherming.	Voor alle artikelen : A1 klasse 1
Chemicaliewerend 	EN 13034:2005 +A1:2009	Slijtweerstand : 1-6 Scheursterkte : 1-6 Treksterkte : 1-6 Perforatieweerstand : 1-6 Repulsie H2SO4 30% : 1-3 Repulsie NaOH 10% : 1-3 Repulsie o-xyleen : 1-3 Repulsie butan-1-ol : 1-3 Penetratie H2SO4 30% : 1-3 Penetratie NaOH 10% : 1-3 Penetratie o-xyleen : 1-3 Penetratie butan-1-ol : 1-3 Brandwerendheid : voldoet Naadsterkte : 1-6	Slijtweerstand : 6 Scheursterkte : 1 Treksterkte : 5 Perforatieweerstand : 2 Repulsie H2SO4 30% : 3 Repulsie NaOH 10% : 3 Repulsie o-xyleen : - Repulsie butan-1-ol : - Penetratie H2SO4 30% : 3 Penetratie NaOH 10% : 3 Penetratie o-xyleen : - Penetratie butan-1-ol : - Brandwerendheid : voldoet Naadsterkte : 4 Type 6
Vlamboog 	IEC 61482-2:2018	ELIM = $yyy \text{ cal/cm}^2$ of kJ/m^2 ATPV = $xxx \text{ cal/cm}^2$ of kJ/m^2 of APC = y of ELIM = $xxx \text{ cal/cm}^2$ of kJ/m^2 APC = z of Per kleding afzonderlijk te specificeren (zie norm) Definities: ELIM = incident energy limit is de energie ondergrens waarbij er geen verbranding of break-open optreedt. ATPV = arc thermal performance value bij blootstelling aan een vlamboog. APC = arc protection class indien getest volgens de boxtest (APC 1 of APC 2 voor resp. vlambogen van 4 kA en 7 kA).	Alle artikelen : APC 1

Aanwijzingen voor gebruik, veiligheid en onderhoud

Algemeen

- Informeer voor aanvang van werkzaamheden die met zekere risico's gepaard gaan bij uw veiligheidkundige of leidinggevende over de te gebruiken persoonlijke beschermingsmiddelen.
- Zorg voor goed passende kleding. Tijdens de uitvoering van werkzaamheden moet de kleding altijd volledig gesloten worden gedragen, zonodig in combinatie met andere geëigende persoonlijke beschermingsmiddelen. Zorg voor bedekking van het gehele lichaam, door combinatie van kledingstukken met hetzelfde beschermingsniveau. Zorg ook dat uw rug bedekt blijft. Ook bij voorover buigen.

Veiligheid

- Draag geen onderkleding uit polyester, polyamide of acryl. Deze zou kunnen smelten bij blootstelling aan een elektrische vlamboog.
- Vanwege operationele redenen is het soms niet mogelijk om bij booglassen alle spanningsdragende delen af te schermen.
- Deze laskleding is alleen bedoeld bescherming te bieden bij toevallig contact met spanningsdragende delen tijdens booglassen tot maximaal 100 V d.c. Mocht een hogere bescherming nodig zijn dan moeten hiervoor aanvullende persoonlijke beschermingsmiddelen worden ingezet.
- Draag geleidend schoeisel met een weerstand lager dan $10^8 \Omega$ in combinatie met dissipatieve of elektrisch geleidende ondergrond of zorg op andere wijze voor een goede aarding bij werkzaamheden in een explosiegevaarlijke omgeving. Het is niet toegestaan deze antistatische kleding te openen of uit te doen in een explosiegevaarlijke of brandbare omgeving. De kleding mag tevens niet worden gewijzigd of achteraf voorzien worden van logo's en labels.
- In een explosiegevaarlijke omgeving is het van belang dat eventueel blootliggende drukknopen aan mouwen en broekspijpen en niet antistatische onderkledingstukken afgedekt zijn tijdens de uitvoering van werkzaamheden (bijv. door het dragen van antistatische handschoenen).
- Draag deze antistatische kleding nooit in ATEX zone 0 of in een met zuurstof verrijkte omgeving zonder voorafgaande toestemming van de veiligheidkundige.
- In geval van contaminatie met chemicaliën of ontvlambare vloeistoffen dient men de werkzaamheden direct te staken en de vervuilde kleding onmiddellijk maar voorzichtig uit te trekken. Zorg er daarbij voor dat de stoffen niet met de huid in contact komen. De kleding dient daarna te worden gereinigd of te worden vervangen.
- Vervuiling met smeer en olie beïnvloedt de vlamwerende eigenschappen negatief. Reinig de kleding daarom regelmatig.
- In een met zuurstof verrijkte omgeving zal de bescherming tegen vlamverspreiding afnemen. Daarom mag, zonder voorafgaande toestemming van de veiligheidkundige, deze kleding niet gebruikt worden bij werkzaamheden in een dergelijke omgeving.
- In het geval van contaminatie met gesmolten metalen dient de drager de werkplek te verlaten en de vervuilde kleding te vervangen. Indien de kleding direct op de huid gedragen wordt, bestaat er altijd de kans op verbranding.
- De elektrische weerstand van de kleding zal afnemen wanneer de kleding nat, vervuild of vocht door transpiratie is.

Gezondheid

- Indien de kleding voorzien is van kniezakken, dienen deze, ter voorkoming van knieklachten, voorzien te worden van kniebeschermers die voldoen aan EN 14404. Kniebescherming biedt evenwel geen absolute bescherming.
- Indien de kleding voorzien is van kniestukken, dienen deze ter verhoging van het comfort en versterking van de kleding. Zij bieden geen bescherming ter voorkoming van eventuele knieklachten.
- Deze kleding is geschikt om gedurende een gehele werkdag te worden gedragen.
- Deze kleding bevat geen substanties die toxisch, carcinogeen, mutageen of anderszins schadelijk voor de gezondheid zijn. Allergische reacties door huidcontact met deze materialen zijn niet bekend.

Opslag, onderhoud, reparatie en recycling

- Nieuwe kleding droog en buiten zonlicht bewaren in de originele verpakking.
- De kleding regelmatig laten reinigen door een professionele wasserij. Het wordt afgeraden de kleding thuis te wassen mede vanwege het mogelijke contact met gevaarlijke stoffen en vervuiling. Ook het gebruik van de juiste was- en hulpmiddelen tijdens thuis wassen is niet altijd mogelijk.
- Een eventueel uitneembare thermische voering dient apart te worden gereinigd.
- De kleding altijd reinigen volgens de instructies op het onderhoudsetiket. Eventuele retroreflecterende banden niet strijken.
- De kleding dient na iedere wasbeurt te worden nabehandeld met een fluorcarbon product volgens de instructies van de fluorcarbon leverancier. Dit is van belang om de chemicaliënbescherming intact te houden. Controleer regelmatig de effectiviteit van deze behandeling.
- Kleding na gebruik droog en buiten direct zonlicht weghangen.
- Als gevolg van slijtage door gebruik, opslag en reiniging kunnen na verloop van tijd specifieke beschermende eigenschappen verminderen. Neem daarom bij twijfel altijd contact op met uw veiligheidskundige.
- De levensduur van de kleding wordt niet alleen beïnvloed door de reiniging maar is ook afhankelijk van het gebruik, onderhoud en opslag.
- Beschadigingen alleen door deskundigen laten herstellen met originele materialen of de kleding vervangen.
- De kleding is na gebruik geschikt voor recycling via de daarvoor aangewezen kanalen.
- De producent is niet aansprakelijk voor oneigenlijk gebruik, misbruik en of verkeerd onderhoud.

Producent

Quite Right BV
 Malachiet 540
 3316 LD Dordrecht
 +31(0)78 639 95 33 | info@quiteright.nl

Notified Body: 0598 SGS Fimko Ltd., Takomotie 8, FI-00380 HELSINKI, Finland

User instructions

These user instructions relate to the following products:

Multinorm coverall CARLOS

Multinorm work coat MICHAEL

Multinorm work trousers GLENN

Congratulations on your purchase of our products.

Our products have been developed on the basis of the latest findings and safety standards.

Please read the user instructions carefully in advance and keep them. Also check via the pictograms in the clothing what protection is provided.

This clothing has been developed to protect against various risks. Always use this clothing in consultation with your safety expert or manager.

Application

This clothing provides protection against industrial heat hazards (convective heat and radiant heat). It also provides protection against incidental and brief contact with small flames and open flames.

Furthermore, the clothing provides protection against molten iron and contact heat.

When worn in combination with appropriate hand and face protection, the clothing also provides protection against the thermal effects of an electric arc (comparable to an electric arc of 4 kA, for 500 ms and at a distance of 30 cm).

The clothing can be used when performing welding and related work.

This antistatic clothing is intended to be worn in ATEX zones 1, 2, 20, 21 and 22 where the minimum ignition energy is not lower than 0.016 mJ. For further explanation, refer to EN 60079-10-1, EN 60079-10-2 and CEN/TR 16832.

By applying a special fluorocarbon finish to the outer fabric, the clothing offers protection against splashes of a number of common aqueous chemicals.

Specifications

The clothing falls into category III and complies with PPE Regulation (EU) 2016/425 and the applicable standards EN ISO 13688:2013+A1:2021 (General requirements), EN ISO 11611:2015, EN ISO 11612:2015, EN 1149-5:2018, EN 13034:2005+A1:2009 and IEC 61482-2:2018 according to the specifications below.

The declaration of conformity can be consulted at www.quiteright.nl

Description	Standard	Classification	Performance level of the clothing
Antistatic 	EN 1149-5:2018	N/a	Conforming. Fabric tested according to EN 1149-3:2004 or EN 1149-1.

Industrial heat 	EN ISO 11612:2015	A= flame spread (1= surface ignition, 2= edge ignition) B= convective heat (levels 1 to 3) C= radiant heat (levels 1 to 4) D= molten aluminium (levels 1 to 3) E= molten iron (levels 1 to 3) F= contact heat (levels 1 to 3) If not applicable then the code is omitted or 0.	All articles : A1-B1-C1-E3-F1
Welding clothing 	EN ISO 11611:2015	Class 1 or class 2 A= flame spread (1= surface ignition, 2= edge ignition) A higher class offers more protection.	All articles : A1 class 1
Chemical-repellent 	EN 13034:2005 +A1:2009	Abrasion resistance : 1-6 Tear strength : 1-6 Tensile strength : 1-6 Puncture resistance : 1-6 Repulsion H2SO4 30% : 1-3 Repulsion NaOH 10% : 1-3 Repulsion o-xylene : 1-3 Repulsion of butan-1-ol : 1-3 Penetration H2SO4 30% : 1-3 Penetration NaOH 10% : 1-3 Penetration o-xylene : 1-3 Penetration butan-1-ol : 1-3 Fire resistance : satisfies Seam strength : 1-6	Abrasion resistance : 6 Tear strength : 1 Tensile strength : 5 Puncture resistance : 2 Repulsion H2SO4 30% : 3 Repulsion NaOH 10% : 3 Repulsion o-xylene : - Repulsion butan-1-ol : - Penetration H2SO4 30% : 3 Penetration NaOH 10% : 3 Penetration o-xylene : - Penetration butan-1-ol : - Fire resistance : meets Seam strength : 4 Type 6
Electric arc 	IEC 61482-2:2018	ELIM = $yyy \text{ cal/cm}^2$ or kJ/m^2 ATPV = $xxx \text{ cal/cm}^2$ or kJ/m^2 or APC = y or ELIM = $xxx \text{ cal/cm}^2$ or kJ/m^2 APC = z or To be specified separately per clothing (see standard) Definitions: ELIM = incident energy limit is the lower energy limit at which no burn or break-open occurs. ATPV = arc thermal performance value when exposed to an arc. APC = arc protection class when tested according to the box test (APC 1 or APC 2 for arcs of 4 kA and 7 kA respectively).	All articles : APC 1

Instructions for use, safety and maintenance

General

- Before starting work involving certain risks, ask your safety expert or supervisor about the personal protective equipment to be used.
- Ensure well-fitting clothing. While carrying out work, clothing should always be worn fully closed, if necessary in combination with other appropriate personal protective equipment. Ensure coverage of the whole body by combining garments with the same level of protection. Also keep your back covered. Also when bending forward.

Safety

- Do not wear undergarments made of polyester, polyamide or acrylic. These could melt when exposed to an electric arc.
- Due to operational reasons, it is sometimes not possible to shield all live parts during arc welding.
- This welding clothing is only intended to provide protection in case of accidental contact with live parts during arc welding up to a maximum of 100 V d.c. Should higher protection be required, additional personal protective equipment should be used for this purpose.
- Wear conductive footwear with a resistance lower than $10^8 \Omega$ in combination with dissipative or electrically conductive surfaces or otherwise ensure proper earthing when working in hazardous areas. This anti-static clothing must not be opened or taken off in an explosive or flammable environment. The clothing must also not be altered or retrofitted with logos and labels.
- In hazardous areas, it is important that any exposed snaps on sleeves and trouser legs and non-antistatic undergarments are covered while performing work (e.g. by wearing antistatic gloves).
- Never wear this antistatic clothing in ATEX zone 0 or in an oxygen-enriched environment without prior approval from the safety officer.
- In case of contamination with chemicals or flammable liquids, stop work immediately and remove contaminated clothing immediately but carefully. When doing so, ensure that the substances do not come into contact with the skin. The clothing should then be cleaned or replaced.
- Contamination with grease and oil negatively affects the flame-resistant properties. Therefore, clean the clothing regularly.
- In an oxygen-enriched environment, protection against flame spread will decrease. Therefore, without prior approval from the safety officer, this clothing must not be used when working in such an environment.
- In case of contamination with molten metals, the wearer should leave the workplace and replace the contaminated clothing. If the clothing is worn directly on the skin, there is always a risk of burns.
- The electrical resistance of the clothing will decrease when the clothing is wet, contaminated or damp from perspiration.

Health

- If the clothing is fitted with knee pockets, to prevent knee problems, these should be fitted with knee protectors complying with EN 14404. However, knee protection does not offer absolute protection.
- If the clothing is fitted with knee pads, these serve to increase comfort and reinforce the clothing. They do not offer protection to prevent possible knee injuries.
- This clothing is suitable to be worn during an entire working day.
- This clothing does not contain substances that are toxic, carcinogenic, mutagenic or otherwise harmful to health. Allergic reactions due to skin contact with these materials are not known.

Storage, maintenance, repair and recycling

- Store new clothing dry and out of sunlight in its original packaging.
- Have the clothing cleaned regularly by a professional laundry. It is not recommended to wash the clothing at home partly because of the possible contact with hazardous substances and contamination. It is also not always possible to use appropriate washing and care products during home washing.

- Any removable thermal lining should be cleaned separately.
- Always clean clothing according to the instructions on the care label. Do not iron any retroreflective bands.
- The clothing should be pretreated with a fluorocarbon product after each wash cycle according to the fluorocarbon supplier's instructions. This is important to keep the chemical protection intact. Regularly check the effectiveness of this treatment.
- Hang clothing away dry and out of direct sunlight after use. Als gevolg van slijtage door gebruik, opslag en reiniging kunnen na verloop van tijd specifieke beschermende eigenschappen verminderen. Neem daarom bij twijfel altijd contact op met uw veiligheidskundige.
- The life of the clothing is not only affected by cleaning but also depends on use, care and storage.
- Only have damage repaired by experts using original materials or replace the clothing.
- After use, the clothing is suitable for recycling through the appropriate channels.
- The manufacturer is not liable for improper use, misuse and or incorrect maintenance.

Manufacturer

Quite Right BV
 Malachiet 540
 3316 LD Dordrecht
 Netherlands
 +31(0)78 639 95 33 | info@quiteright.nl

Notified Body: 0598 SGS Fimko Ltd., Takomotie 8, FI-00380 HELSINKI, Finland

Material list

Annex 4

Component name	Colour	Manufacturer	Application
CSFR-310	navy	Xinxiang Xinxing Special Fabric (CN)	Single layer fabric
CSR-1303-FR (CSR5001)	silver	Zhejiang (hangzhou) chinastars new materials	Retroreflective striping

Declaration of Conformity

The manufacturer or his authorized representative established in the Community:

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Nederland

Declares that the PPE described hereafter:

Overall CARLOS

Is in conformity with the provisions of PPE Regulation (EU) 2016/425 and the standard(s):

EN ISO 13688:2013
EN 1149-5:2018
EN ISO 11611:2015
EN ISO 11612:2015
EN 13034:2005+A1:2009
IEC 61482-2:2018

And is identical to the PPE which was subject of EU type examination for which EU type examination certificate:

0598/PPE/24/3898, Issue 1 , valid till 26-07-2029

has been issued by: SGS Fimko, Registration No.: 0598 and located at: Takomotie 8, FI-00380 Helsinki, Finland.

And through the procedure of module C2 of the PPE Regulation (EU) 2016/425 is subject to supervision by the Notified Body: SGS Fimko, Registration No.: 0598.

Dordrecht, 26-07-2024

Signed by :

Verklaring van overeenstemming

Hierbij verklaart:

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Nederland

Dat het hieronder genoemde product:

Overall CARLOS

Voldoet aan de van toepassing zijnde eisen uit de PBM Verordening (EU) 2016/425 en de normen:

EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11611:2015

EN ISO 11612:2015

EN 13034:2005+A1:2009

IEC 61482-2:2018

En dat het product identiek is aan het product dat voor EU typekeuringscertificatie werd goedgekeurd door : SGS Fimko, registratienummer: 0598 en gevestigd aan :

Takomotie 8, FI-00380 Helsinki, Finland en waarvoor het volgende EU typekeuringscertificaat werd afgegeven:

0598/PPE/24/3898, Issue 1 , geldig t/m 26-07-2029

En door middel van de procedure van module C2 van de PBM Verordening (EU) 2016/425 is onderworpen aan toezicht door de aangewezen instantie : SGS Fimko, registratienummer: 0598.

Dordrecht, 26-07-2024

Getekend door :

Declaration of Conformity

The manufacturer or his authorized representative established in the Community:

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Nederland

Declares that the PPE described hereafter:

Werkbroek GLENN

Is in conformity with the provisions of PPE Regulation (EU) 2016/425 and the standard(s):

EN ISO 13688:2013
EN 1149-5:2018
EN ISO 11611:2015
EN ISO 11612:2015
EN 13034:2005+A1:2009
IEC 61482-2:2018

And is identical to the PPE which was subject of EU type examination for which EU type examination certificate:

0598/PPE/24/3898, Issue 1 , valid till 26-07-2029

has been issued by: SGS Fimko, Registration No.: 0598 and located at: Takomotie 8, FI-00380 Helsinki, Finland.

And through the procedure of module C2 of the PPE Regulation (EU) 2016/425 is subject to supervision by the Notified Body: SGS Fimko, Registration No.: 0598.

Dordrecht, 26-07-2024

Signed by :

Verklaring van overeenstemming

Hierbij verklaart:

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Nederland

Dat het hieronder genoemde product:

Werkbroek GLENN

Voldoet aan de van toepassing zijnde eisen uit de PBM Verordening (EU) 2016/425 en de normen:

EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11611:2015

EN ISO 11612:2015

EN 13034:2005+A1:2009

IEC 61482-2:2018

En dat het product identiek is aan het product dat voor EU typekeuringscertificatie werd goedgekeurd door : SGS Fimko, registratienummer: 0598 en gevestigd aan :

Takomotie 8, FI-00380 Helsinki, Finland en waarvoor het volgende EU typekeuringscertificaat werd afgegeven:

0598/PPE/24/3898, Issue 1 , geldig t/m 26-07-2029

En door middel van de procedure van module C2 van de PBM Verordening (EU) 2016/425 is onderworpen aan toezicht door de aangewezen instantie : SGS Fimko, registratienummer: 0598.

Dordrecht, 26-07-2024

Getekend door :

Declaration of Conformity

The manufacturer or his authorized representative established in the Community:

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Nederland

Declares that the PPE described hereafter:

Werkjas MICHAEL

Is in conformity with the provisions of PPE Regulation (EU) 2016/425 and the standard(s):

EN ISO 13688:2013
EN 1149-5:2018
EN ISO 11611:2015
EN ISO 11612:2015
EN 13034:2005+A1:2009
IEC 61482-2:2018

And is identical to the PPE which was subject of EU type examination for which EU type examination certificate:

0598/PPE/24/3898, Issue 1 , valid till 26-07-2029

has been issued by: SGS Fimko, Registration No.: 0598 and located at: Takomotie 8, FI-00380 Helsinki, Finland.

And through the procedure of module C2 of the PPE Regulation (EU) 2016/425 is subject to supervision by the Notified Body: SGS Fimko, Registration No.: 0598.

Dordrecht, 26-07-2024

Signed by :

Verklaring van overeenstemming

Hierbij verklaart:

Quite Right BV
Malachiet 540
3316 LD Dordrecht
Nederland

Dat het hieronder genoemde product:

Werkjas MICHAEL

Voldoet aan de van toepassing zijnde eisen uit de PBM Verordening (EU) 2016/425 en de normen:

EN ISO 13688:2013

EN 1149-5:2018

EN ISO 11611:2015

EN ISO 11612:2015

EN 13034:2005+A1:2009

IEC 61482-2:2018

En dat het product identiek is aan het product dat voor EU typekeuringscertificatie werd goedgekeurd door : SGS Fimko, registratienummer: 0598 en gevestigd aan :

Takomotie 8, FI-00380 Helsinki, Finland en waarvoor het volgende EU typekeuringscertificaat werd afgegeven:

0598/PPE/24/3898, Issue 1 , geldig t/m 26-07-2029

En door middel van de procedure van module C2 van de PBM Verordening (EU) 2016/425 is onderworpen aan toezicht door de aangewezen instantie : SGS Fimko, registratienummer: 0598.

Dordrecht, 26-07-2024

Getekend door :